Approved For Release 2001/04/24 : GIACLE TEA002200310002-3

002-3 56-4205 10 DEC 1956 X-0+m3

CRANCIA FOR: Deputy Director (Support)

Comments of DCI Trip Report Items

- 1. This memorandum is for your information and use as desired.
- 2. The ever-all listing of CIA oversees stations and the status of our economications facilities is being submitted separately, together with a comprehensive overseas personnel requirements review.

1. With regard to confirms that emergency munications facilities do not exist there now. The NEA Division requested scriptime ago that the Office of Communications install veice equipment capable of being operated by regular staff personnel. The essignment of an operating technician was specifically ruled ces due to staffing At the time of the MEA request, the office or communications did not have equipment which would meet the requirement. After considerable investigation, a mercially evallable set was selected for procurement as an interim ciution. We expect the equipment to be available for 25X1A approximately 1 February. Due to the location of 5X1A6a other Office of Communications facilities, the successrei technical operation of this omergency equipment is problematical. The longer term solution is the establishment of a CW station manned by competent technical personnel.

h. The Office of Communications does not have any new formula for the reduction of cable traffic. Efforts by the DD/P have prodused definite results, although world events have inevitably occasioned certain traffic increases. It would appear that an improvement in the normal posening time between Headquarters and Field Stations would provide the most effective counter to cable traffic.

Orig Fred with T5141161

25X1A9a Approved For Release 2001/04/24 : CIA RUP 73E04718A00220031000

25X1A6a

25X1A

25X1A6a

25X1Å